

C1 Esterase Inhibitor

Order Name: **C1 ES QNT**
Test Number: 5569700
Revision Date: 12/12/2022

TEST NAME	METHODOLOGY	LOINC CODE
C1 Esterase Inhibitor	Immunologic, quantitative	4477-6

SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	1 mL (0.5 mL)	Serum	Clot Activator SST	Room Temperature
Instructions	<p>Notes: 0.5 mL (Note: This volume Does NOT allow for repeat testing.) Specimen Type: Red-top tube or gel-barrier tube Specimen Storage: Maintain specimen at room temperature. Specimen Collection: Separate serum from cells within 30 to 60 minutes after collection. Transfer specimen to a plastic transport tube. Specimen Stability: Ambient: 14 days, Refrigerated : 14 days, Frozen: 14 days</p>			

GENERAL INFORMATION

Expected TAT	3 - 4 days shift.
Clinical Use	Aids in diagnosis of hereditary angioedema and monitoring response to therapy.
Performing Labcorp Test Code	004648
Notes	Labcorp Test Code: 004648
CPT Code(s)	86160
Lab Section	Reference Lab