

## Echovirus Antibody Panel, CF (Serum)

Order Name: **ECHOVI AB**  
Test Number: 5504100  
Revision Date: 10/18/2017

TEST NAME	METHODOLOGY	LOINC CODE
Echovirus Antibody Panel, CF (Serum)	Neutralization	

### SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	<b>2 mL (0.5 mL)</b>	<b>Serum</b>	<b>Clot Activator SST</b>	<b>Frozen</b>
Instructions	<p><b>Specimen Type:</b> Gel-barrier tube <b>Specimen Storage:</b> FREEZE <b>Specimen Collection:</b> Serum must be separated from cells within 2 hours of venipuncture. Send serum in a plastic transport tube. <b>Special Instructions:</b> Testing referred to BioAgilytix Diagnostics Lab E= #- <b>Specimen Stability:</b> Ambient: 3 days, Refrigerated : 7 days, Frozen: 6 months</p>			

### GENERAL INFORMATION

Expected TAT	12-16 days
Performing Labcorp Test Code	823361
Notes	Labcorp Test Code: 823361
CPT Code(s)	86658x5
Lab Section	Reference Lab