

Myelin-Associated Glycoprotein (MAG-SGPG) Antibody IgM

Order Name: **SGPG AB**
Test Number: 3660850
Revision Date: 12/12/2022

| TEST NAME | METHODOLOGY | LOINC CODE |
|--|---|------------|
| Myelin-Associated Glycoprotein (MAG-SGPG) Antibody IgM | Enzyme-Linked Immunosorbent Assay (ELISA) | 31666-1 |

SPECIMEN REQUIREMENTS

| | | | | |
|--------------|---|---------------|---|-----------------------|
| Specimen | Specimen Volume (min) | Specimen Type | Specimen Container | Transport Environment |
| Preferred | 2 mL (0.5 mL) | Serum | Clot Activator (SST or Red No-Gel) | Refrigerated |
| Instructions | Specimen Type: Red-top tube or gel-barrier tube Specimen Storage: Refrigerate Stability: Refrigerate up to 5 days Frozen up to 1 year Special Instructions: Testing referred to Immco Diagnostics TC 464 | | | |

GENERAL INFORMATION

| | |
|------------------------------|---|
| Expected TAT | 18-22 days |
| Clinical Use | AKA: Sulfate-3-Glucuronyl Paragloboside (SGPG) Antibody, IgM The majority of SGPG IgM positive sera will show reactivity against MAG. Patients that are SGPG IgM positive and MAG IgM negative may have multi-focal motor neuropathy with conduction block. |
| Performing Labcorp Test Code | 808507 |
| Notes | Labcorp Test Code: 808507 |
| CPT Code(s) | 83516 |
| Lab Section | Reference Lab |