

Cotinine Screen Urine

Order Name: **COTININE U**
Test Number: 6006413
Revision Date: 10/17/2017

TEST NAME	METHODOLOGY	LOINC CODE
Cotinine Screen Urine	Enzyme Multiplied Immunoassay Technique	12293-7

SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	5 mL (1.1 mL)	Urine, Random	Sterile Urine container	Room Temperature
Instructions	<p>Notes: 1.1 mL (Note: This volume Does NOT allow for repeat testing). Specimen Type: Urine container Specimen Storage: Room Temperature Specimen Collection: Not Available Special Instructions: Not intended for medical-legal use. Specimen Stability: Ambient: 14 days, Refrigerated : 14 days, Frozen: 14 days</p>			

GENERAL INFORMATION

Expected TAT	1-4 days
Clinical Use	Cotinine is a metabolite of nicotine and may be detected up to seven days after nicotine exposure. The cutoff is set at 100 ng/mL to detect active exposure (smoking). This test will not distinguish between tobacco use and nicotine replacement therapy.
Performing Labcorp Test Code	716555
Notes	Labcorp Test Code: 716555
CPT Code(s)	80307
Lab Section	Reference Lab