

## Selenium Level Urine

Order Name: **SELENIUM U**  
Test Number: 3658675  
Revision Date: 10/16/2024

TEST NAME	METHODOLOGY	LOINC CODE
Creatinine Screen	Immunoassay (IA)	2161-8
Selenium Level Urine	Inductively-Coupled Plasma/Mass Spectrometry	5726-5
Selenium/Creatinine	Calculation	13467-6

### SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	<b>3 mL (1.3 mL)</b>	<b>Urine, Random</b>	<b>Acid Washed, Trace Element Free Container</b>	<b>Refrigerated</b>
Instructions	<p><b>Specimen:</b> 3mL(1.3mL) Random Urine in acid washed trace element free container</p> <p><b>Collection:</b> Unpreserved urine should be refrigerated immediately and analyzed within 1 week of collection. Acceptable preservatives include: Trace Metal Free Hydrochloric Acid or Nitric Acid (0.1 mL of 12M acid/10 mL urine).</p> <p><b>Stability Requirements:</b> Room temperature n/a, Refrigerated 30 Days, Frozen 12 Months</p> <p><b>Cause for Rejection:</b> Received Room Temperature</p> <p>Testing referred to National Medical Services NMSPA#4180U</p>			

### GENERAL INFORMATION

Expected TAT	8 days (If Positive: 13 days) from set up												
Performing Labcorp Test Code	833870												
Notes	<table border="1"> <thead> <tr> <th>ORDER CODE</th><th>REFLEX NAME</th><th>RESULT CODE</th><th>RESULT NAME</th></tr> </thead> <tbody> <tr> <td><b>4000073</b></td><td>.Rflex Specific Gravity</td><td><b>4000073</b></td><td>Specific Gravity Screen</td></tr> <tr> <td></td><td></td><td><b>1001500</b></td><td>Specific Gravity Urine</td></tr> </tbody> </table>	ORDER CODE	REFLEX NAME	RESULT CODE	RESULT NAME	<b>4000073</b>	.Rflex Specific Gravity	<b>4000073</b>	Specific Gravity Screen			<b>1001500</b>	Specific Gravity Urine
ORDER CODE	REFLEX NAME	RESULT CODE	RESULT NAME										
<b>4000073</b>	.Rflex Specific Gravity	<b>4000073</b>	Specific Gravity Screen										
		<b>1001500</b>	Specific Gravity Urine										
CPT Code(s)	84255												
Lab Section	Reference Lab												