

CardioIQ Lp-PLA2 Activity

Order Name: **Lp-PLA2 Act**
Test Number: 6907361
Revision Date: 12/12/2022

TEST NAME	METHODOLOGY	LOINC CODE
CardioIQ Lp-PLA2 Activity	Spectrophotometric, enzymatic assay	86951-1

SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	0.5 mL (0.2 mL)	Plasma	EDTA (Lavender Top)	Refrigerated
Alternate 1	0.5 mL (0.2 mL)	Serum	Clot Activator (Red Top, No-Gel)	Refrigerated
Alternate 2	0.5 mL (0.2 mL)	Serum	Clot Activator SST	Refrigerated
Instructions	Specimen Type: Red-top tube, gel-barrier tube, OR lavender-top (EDTA) tube Specimen Storage: Refrigerate, stable for 14 days. Stable at room temperature for 24 hours and frozen up to 18 months. Ship refrigerated on cool packs. Specimen Collection: Separate serum or plasma from cells as soon as possible (within two hours). Specimen Stability: Ambient: Not Available, Refrigerated : Not Available, Frozen: Not Available			

GENERAL INFORMATION

Expected TAT	2 - 4 days
Performing Labcorp Test Code	123283
Notes	Labcorp Test Code: 123283
CPT Code(s)	83698
Lab Section	Reference Lab