

Kappa/Lambda Light Chains Only - Serum

Order Name: **Free Light Only**

Test Number: 6907201

Revision Date: 01/01/2022

| TEST NAME | METHODOLOGY | LOINC CODE |
|--------------------------------------|---------------|------------|
| Free Kappa Light Chains | Turbidometric | 36916-5 |
| Free Lambda Light Chains | Turbidometric | 33944-0 |
| Free Kappa/Lambda Light Chains Ratio | Calculation | 48378-4 |

| SPECIMEN REQUIREMENTS | | | | |
|-----------------------|--|---------------|--------------------|-----------------------|
| Specimen | Specimen Volume (min) | Specimen Type | Specimen Container | Transport Environment |
| Preferred | 2 mL (1 mL) | Serum | Clot Activator SST | Refrigerated |
| Instructions | Allow specimen to clot completely at room temperature. Separate serum from cells ASAP or within 2 hours of collection. Stability After separation from cells: Ambient 4hours, Refrigerated 7 days, Frozen 1 months (avoid repeated freeze/thaw cycles). | | | |

| GENERAL INFORMATION | |
|---------------------|---|
| Testing Schedule | 1-3 Days |
| Expected TAT | Mon - Fri |
| Clinical Use | Quantitative serum Kappa and Lambda with Kappa/Lambda ratio results |
| Notes | Kappa/Lambda Light Chains without Pathology Interpretation |
| CPT Code(s) | 83521x2 |
| Lab Section | Immunology - Serology |