

## Thiothixene (Navane) Level

Order Name: **Navane (Thiothixene)**  
Test Number: 4312250  
Revision Date: 11/06/2025

TEST NAME	METHODOLOGY	LOINC CODE
Thiothixene (Navane) Level	High-pressure liquid chromatography (HPLC) with fluorometric detection	6696-9

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	<b>1 mL (0.3 mL)</b>	<b>Serum</b>	<b>Clot Activator (Red Top, No-Gel)</b>	<b>Refrigerated</b>
Alternate 1	<b>1 mL (0.3 mL)</b>	<b>Plasma</b>	<b>EDTA (Lavender Top)</b>	<b>Refrigerated</b>
Instructions	<b>Specimen Type:</b> Gel-barrier tubes are NOT acceptable <b>Volume:</b> 1 mL (0.3 mL) Serum Red-Top Tube or Plasma Lavender-Top (EDTA) Tube <b>Collection:</b> Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines. Testing referred to National Med Services NMSPA#4469SP <b>Stability Requirements:</b> Room temperature 7 days, Refrigerated 14 days, Frozen 20 months <b>Cause for Rejection:</b> Gel Barrier Tube			

GENERAL INFORMATION	
Expected TAT	7 - 14 days
Performing Labcorp Test Code	834660
CPT Code(s)	80342
Lab Section	Reference Lab