

Loxapine Level

Order Name: **LOXAPINE**
Test Number: 4001200
Revision Date: 11/06/2025

TEST NAME	METHODOLOGY	LOINC CODE
Loxapine Level	Liquid Chromatography/Tandem Mass Spectrometry	

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	1 mL (0.3 mL)	Serum	Clot Activator (Red Top, No-Gel)	Refrigerated
Alternate 1	1 mL (0.3 mL)	Plasma	Lithium Heparin (Dark Green Top / No-Gel)	Refrigerated
Instructions	<p>Specimen: Gel-barrier tubes are NOT acceptable. Volume: 1 mL (0.3 mL) Serum Red-Top Tube or Plasma Lavender-Top (EDTA) Tube Collection: Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines. Testing referred to National Med Services NMSPA#2538SP Stability Requirements: Room temperature 30 days, Refrigerated 30 days, Frozen 15 months Cause for Rejection: Gel Barrier Tube</p>			

GENERAL INFORMATION	
Expected TAT	11-13 days
Performing Labcorp Test Code	834657
CPT Code(s)	80342
Lab Section	Reference Lab