## Labcorp Oklahoma, Inc. Test Directory

## **Loxapine Level**

Order Name: LOXAPINE
Test Number: 4001200
Revision Date: 11/06/2025

TEST NAME	METHODOLOGY	LOINC CODE

Loxapine Level Liquid Chromatography/Tandem Mass Spectrometry

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	1 mL (0.3 mL)	Serum	Clot Activator (Red Top, No-Gel)	Refrigerated
Alternate 1	1 mL (0.3 mL)	Plasma	Lithium Heparin (Dark Green Top / No-Gel)	Refrigerated
Instructions	Specimen: Gel-barrier tubes are NOT acceptable.  Volume: 1 mL (0.3 mL) Serum Red-Top Tube or Plasma Lavender-Top (EDTA) Tube  Collection: Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines. Testing referred to National Med Services NMSPA#2538SP  Stability Requirements: Room temperature 30 days, Refrigerated 30 days, Frozen 15 months  Cause for Rejection: Gel Barrier Tube			

GENERAL INFORMATION	
Expected TAT	11-13 days
Performing Labcorp Test Code	834657
CPT Code(s)	80342
Lab Section	Reference Lab

Service provided by Labcorp Oklahoma, Inc. All Rights Reserved. © 2003 - 2025