

Parathyroid Hormone (PTH), Intraoperative, Baseline

Order Name: **PTHIOBL**
Revision Date: 04/20/2015

TEST NAME	METHODOLOGY	LOINC CODE
Parathyroid Hormone (PTH), Intraoperative, Baseline		

SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (mL)	Specimen Type	Specimen Container	Transport Environment
Preferred	4 mL (2 mL)	Whole Blood	Lavender Top K2 EDTA	Refrigerated
Alternate 1	2 mL (1 mL)	Plasma	Lavender Top K2 EDTA	Frozen
Alternate 2	2 mL (1 mL)	Serum	Serum Gel Tube	Frozen
Instructions	<p>Draw blood in a lavender-top (K2 EDTA) tube(s), avoid hemolysis.</p> <p>Alternative container: Plasma collected in EDTA tube, frozen; Serum collected in gold gel or plain red tube, frozen.</p> <p>Note: Label specimen with patient name (first and last) or other unique identifier, patient hospital identification number or Social Security number, date and time of draw, collector initials, and test(s) being ordered.</p> <p>Note: Intraoperative PTH should be drawn in Ambulatory Care Unit or Surgery Holding.</p>			
Reference Range	See Interpretive Report			
Methodology	Immunoenzymatic			

GENERAL INFORMATION

Testing Schedule	Sunday through Saturday
Expected TAT	3 Hours
Stat TAT	45 Minutes
CPT Code(s)	83970
Lab Section	NRLS-Core Chemistry