

Mold Allergen Panel

Order Name: **A MOLD PNL**

Test Number: 5622575

Revision Date: 09/06/2024

TEST NAME	METHODOLOGY	LOINC CODE
Alternaria alternata Allergen	ImmunoCAP	15530-9
Aspergillus fumigatus Allergen	ImmunoCAP	15549-9
Curvularia lunata Allergen	ImmunoCAP	15670-3
Penicillin Chrysogenium Allergen	ImmunoCAP	15924-4
Setomelanomma rostrata IgE	ImmunoCAP	6138-2

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	2.4 mL (1.2 mL)	Serum	Clot Activator SST	Room Temperature
Instructions	Specimen Type: Red-top tube or gel-barrier tube, Separate Serum from Cells into a screwtop transport container. Stability Requirements: Room temperature 14 days, Refrigerated 14 days, Frozen 3 months. (Freeze/thaw cycles Stable x3)			

GENERAL INFORMATION	
Expected TAT	3-5 Days
Notes	Testing Performed at Labcorp Phoenix as Individual Allergens.
CPT Code(s)	86003x5
Lab Section	Reference Lab