

Mitotane (Lysodren) Level

Order Name: MITOTANE

Test Number: 4502125

Revision Date: 12/12/2022

TEST NAME	METHODOLOGY	LOINC CODE
Mitotane (Lysodren) Level	Gas chromatography/flame ionization detection (GC/FID)	

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	2 mL (0.5 mL)	Serum	Clot Activator (Red Top, No-Gel)	Refrigerated
Alternate 1	2 mL (0.5 mL)	Plasma	Lithium Heparin (Dark Green Top / No-Gel)	Refrigerated
Instructions	Specimen Type: Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT acceptable. Specimen Storage: SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen. Specimen Collection: Serum or plasma should be separated from cells within two hours of venipuncture. Submit serum or plasma in a plastic transport tube. Special Instructions: Testing referred to MedTox Laboratories Inc TC 401			

GENERAL INFORMATION	
Expected TAT	7 - 10 days
Performing Labcorp Test Code	808159
Notes	Labcorp Test Code: 808159
CPT Code(s)	80299
Lab Section	Reference Lab