

## Hepatitis Diagnostic Panel

Order Name: **HEP DIAG P**  
 Test Number: 2905225  
 Revision Date: 05/28/2021

TEST NAME	METHODOLOGY	LOINC CODE
Hepatitis A Antibody (HAV), IgM	Chemiluminescence Assay	22314-9
Hepatitis A IgG Index	Chemiluminescence Assay	40724-7
Hepatitis A IgG Interp	Interpretive information.	
Hepatitis B Core Total Antibody Interpretation	Interpretive information.	13952-7
Hepatitis B Core Total Antibody Index	Chemiluminescence Assay	13952-7
Hepatitis B Surface Antigen	Chemiluminescence Assay	5195-3
Hepatitis B Surface Antibody	Chemiluminescence Assay	16935-9
Hepatitis B Surface Antibody Interpretation	Interpretive information.	95235-8
Hepatitis C Antibody (HCV Ab)	Chemiluminescence Assay	16128-1

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	6 mL (3 mL)	Serum	Clot Activator SST	Refrigerated
Instructions	Plasma specimen not acceptable for this panel due to it is not compatible with the Hepatitis A IgG Antibody test. Specimen stability: Ambient 1 days, Refrigerated 6 days, Frozen >6 days			

GENERAL INFORMATION	
Testing Schedule	Mon - Fri
Expected TAT	1-2 Days
CPT Code(s)	86709, 87340, 86803, 86706, 86708, 86704
Lab Section	Chemistry