Labcorp Oklahoma, Inc. Test Directory

Micropolyspora faeni, IgG Antibodies

Fluorescence Enzyme Immunoassay (FEIA)

Methodology

Order Name: MPSF

Revision Date: 10/21/2019

TEST NAME		METH	ODOLOGY	LOINC CODE	
Micropolyspora faeni, IgG Antibodies					
SPECIMEN REQUIRE	MENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment	
Preferred	0.5 mL (0.3 mL)	Serum	Red Top	Refrigerated	
Alternate 1	0.5 mL (0.3 mL)	Serum	Serum Gel Tube	Refrigerated	
Instructions	Label specimen with Mobilab label or with patient name (first and last), date of birth, date and time of collection, collector initials, and test(s) being ordered.				
Reference Range	Reference Values 0-12 years: < or =4.9 mg/L 13-18 years: < or =9.1 mg/L >18 years: < or =13.2 mg/L Interpretation Elevated concentrations of IgG an	tibodies to Micropolyspora faeni, Th	ermoactinomyces vulgaris, or Aspergillus	fumigatus in patients with signs and	

GENERAL INFORMATION		
Testing Schedule	Monday through Friday; 4 p.m.	
Expected TAT	2 Days	
Notes	Specimen Stability: Refrigerated (preferred) - 21 Days Frozen - 21 Days	
CPT Code(s)	86609	
Lab Section	NRLS-Mayo Medical Laboratories	

symptoms of hypersensitivity pneumonitis may be consistent with disease caused by exposure to 1 or more of these organic antigens.

Service provided by Labcorp Oklahoma, Inc. All Rights Reserved. © 2003 - 2025