

## Genital Mycoplasma Profile, NAA, Urine

Order Name: **Genital Myco UR**  
 Test Number: 5195315  
 Revision Date: 09/12/2023

TEST NAME	METHODOLOGY	LOINC CODE
Genital Mycoplasma Profile, NAA, Urine	Nucleic acid amplification (NAA)	

### SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	30 mL (2 mL)	Urine (See Inst.)	APTIMA Urine Transport Tube	Room Temperature

**Instructions**

**Specimen:** First-void urine in Aptima® urine transport  
**Volume:** 2 mL of a 20 to 30 mL urine collection  
**Container:** Aptima® urine transport  
**Collection:** Urine specimen: The patient should not have urinated for at least one hour prior to specimen collection. Direct patient to provide a first-catch urine (approximately 20 to 30 mL of the initial urine stream) into a urine collection cup free of any preservatives. Collection of larger volumes of urine may result in specimen dilution that may reduce test sensitivity; lesser volumes may not adequately rinse organisms into the specimen. Female patients should not cleanse the labial area prior to providing the specimen. Add urine to the Aptima® Combo 2 urine collection device. The final volume must be between the two black lines on the device (about 2 mL).  
**Storage Instructions:** Maintain specimen at room temperature or refrigerate (2°C to 30°C).  
**Stability** Room temperature 30 days (stability provided by manufacturer or literature reference)

### GENERAL INFORMATION

Expected TAT	3-4 days
Performing Labcorp Test Code	180040

Notes	RESULT CODE	RESULT NAME	LOINC
	6907667	M genitalia Ur	88226-6
5195379	M. hominis Urine	68546-1	
5195380	Ureaplasma Ur	68547-9	

CPT Code(s)	87798x2, 87563
Lab Section	Reference Lab